



**「Inclusion –
playing together」**



» **It is normal to be different. There is no norm for being human.** «

*Richard von Weizsäcker
Former President of the Federal
Republic of Germany*

| | |
|--|----|
| Introduction | 4 |
| Play equipment for children under 3 years . | 14 |
| Play equipment for children from 3 years ... | 24 |
| Themed play units | 30 |
| Play houses | 36 |
| Water, mud, sand | 40 |
| Swings | 50 |
| Carousels | 64 |
| Seesaws and spring rockers | 68 |
| Additions | 72 |
| Postscript | 82 |



Children need play and movement to grow up healthy. This helps them develop their motor, cognitive and social skills, strengthen their own body awareness, physical well-being and self-esteem. In a benevolent environment, without exclusion, having fun together, meeting challenges, exploring possibilities, experiencing limits - these are ideal conditions for children and young people to develop and learn.

In cooperation with experts for education and safety and our enthusiastic team of specialists for the design and technical implementation of imaginative, high-quality and sustainable playground equipment, we would like to implement our mission statement „Encourage children, challenge teenagers, accompany adults.“ in line with the principle of inclusion. Our aim is to make access possible for everyone, to welcome them and especially to promote interaction.

For your eibe outdoor and indoor play areas, we create concepts that promote the development of children with their different abilities according to the latest pedagogical findings and provide strong ideas for playing together and having fun. eibe play equipment invites everyone to have fun together.

When developing an inclusive playground concept, we are concerned with perceiving the different abilities of the children and responding to their needs. An inclusive playground is accessible to all children without barriers. It offers every child, whether with or without a disability, play elements that encourage discovery, creative play and movement, as well as providing individual challenges and promoting togetherness. As an innovative and experienced manufacturer of playground worlds, eibe wants to contribute to removing man-made barriers to play, sport and learning.

Playing together - in the day care centre, at school, on the playground.

» **When children experience something through play, the learning effect is faster and more sustainable.** «

Prof. Dr. Rolf Schwarz - Dipl.-Päd., graduate pedagogue, professor at the University of Education in Karlsruhe

Types of disabilities and associated challenges

PERCEIVING DIFFERENCES - RESPECTING NEEDS - REMOVING BARRIERS

Children with hearing impairments or deafness



Children with impaired vision or blindness

Children with physical impairments



Children with cognitive impairments, autism

Children with different types of disabilities also have special challenges to overcome when playing.



For children and adolescents with hearing impairments or deafness, the following activities pose particular challenges:

- Speed and coordination games
- Balance exercises
- Making contact with others
- Timely perception of dangers

Inclusive play spaces that take these challenges into account reduce the risk of isolation, promote social participation and prevent physical inactivity.

Hearing impairments or deafness

Inclusive playroom design – play

Intensive design with colours, shapes and symbols is of particular importance in an inclusive playground. Pictorial and colour symbols on the playground and on the playground equipment itself make it easier for children with impaired hearing to recognise dangers and enable them to react more quickly. A harmonious colour scheme increases the stimulating character.

Play elements such as a painting board, mirror or arithmetic game facilitate contact and communication. Play structures with different levels of difficulty offer challenge and reward at the same time, promote independence and generate self-confidence.

When playing with water and sand, all children, with or without disabilities, train their motor skills. Muddling and digging together with others creates a feeling of belong-

ing. Experiencing movement on the swings, see-saws and carousels creates a positive body feeling and promotes the sense of balance.

Retreat possibilities are important on every playground: a playhouse enables quiet play, conveys security and invites social role play.

Elementary sensory impressions of wind, warmth, cold, light, shadow and smell are important for all children. In the outdoor playground, this can be experienced and grasped at first hand. Sand, water, play elements made of different materials, shapes and weights – there is something for everyone here that awakens curiosity, trains motor skills, stimulates creativity and encourages discovery.

Play spaces with acoustic and tactile orientation aids

Impaired vision or blindness



Visual impairments have a variety of effects on the different developmental areas of children and adolescents:

- Developmental delay of gross and fine motor skills
- Disturbances of balance
- Development of static movement patterns
- Problems with spatial orientation
- Fear of movement
- Due to the lack of visual stimuli from the environment, children with visual impairments have less incentive to imitate and thus a less pronounced curiosity.
- Visual limitations can lead to a lack of movement.

fun with all senses

(sound fence, use of tactile floor materials) enable independent exploration of the space. Acoustic and colour-contrasting play elements in primary colours, generously distributed throughout the play space, convey a sense of space, encourage movement and support encounters and interaction. The installation of safety elements such as guardrails and railings reduces the fear of movement and makes the play equipment fun to play on, even for children with visual impairments.

To avoid sensory overload, areas for quiet play are an important component of the inclusive playground. Playhouses, tactile and sound games or, for example, a hammock for dreaming help to avoid stress.



Physical impairments



- The many physical and cognitive challenges of children and young people with mobility impairments include:
- limited mobility
 - spastic movement disorders
 - disturbances in gross and fine motor skills
 - less strength and endurance, balance problems
 - Man-made or natural obstacles make it difficult or impossible for them to access things with a wheelchair or walker.
 - Cognitive impairments such as attention, memory and concentration difficulties, especially in children and young people with multiple impairments, make it difficult for them to socialise and integrate socially.
 - There is a great need for support and attention.



- Children and adolescents with impairments of mental development or autism show inconsistent and very individual manifestations in the different areas of development:
- Learning processes are slowed down.
 - There is a need for support and assistance in the areas of perception, motor skills, language, independent thinking and acting, but also self-assessment and self-control.
 - Often the children's learning and living situation is further complicated by multiple disabilities.
 - Different behavioural problems such as attention deficits, hyperactivity, tic disorders or obsessive-compulsive disorders.
 - Pronounced need for contact
 - Intensive visual and auditory perception or high sensitivity.



Cognitive impairments and autism

Inclusive play space – a barrier-

Pedagogically well-designed playground concepts offer versatile play areas with different levels of difficulty on different play levels. This encourages children with a wide range of abilities and limitations to play together, conveys the fun of movement and promotes social development. Play elements that are installed at ground level and can be operated autonomously, such as arithmetic games, play counters or sound games, enable independent use without having to climb onto the equipment and thus strengthen self-confidence and social interaction.

Low platforms, ramps and wide platforms with handholds facilitate access even with wheelchairs or walking aids. Railings, fall protection and anti-tippers provide safety. Good visibility and quick accessibility by attendants and supervisors are made possible by ladder ascents,

stairs and transparent parapet elements. Equipment specially developed for children with physical disabilities, such as an integration carousel for wheelchair users or a swing with various swing seats, are a perfect addition to an inclusive play space.

The inclusion of special needs education aspects in the conceptual design of an inclusive play space can support the complex task of school-based support for children and young people with learning difficulties in a playful way. For example, themed play facilities stimulate the imagination and contribute to language development and social-emotional development. Playground equipment with gymnastics, climbing and balancing elements in various degrees of difficulty is challenging, conveys the joy of movement, and strengthens self-esteem and body awareness. Motor activity

er-free play offer for everyone

stations take into account a child's own personality and individual pace of development and learning. This encourages initiative and independence. Elements such as a painting board, slide rule, colouring game or mirror support intellectual development.

Barrier-free rest areas with playhouses, hammocks or a small sound garden also offer opportunities for retreat, protection from sensory overload, restlessness and noise.


» **That disability is only understood as diversity, that is a goal we must strive for.**



*Richard v. Weizäcker
former President of the Federal Republic of Germany*

Accessibility means for me: Perceiving boundaries, defining them as a task and shifting them.


Prof. Dr Ulrich Heimlich,
Chair of Education for Learning Disabilities Ludwig Maximilian University Munich



A selection of play activities for children with disabilities can be found at this customised play structure.
Contact us - we will customise your individual play structure.

Contact us for more information

In addition to the inclusive design of the play equipment itself, the surrounding terrain is equally important when planning inclusive play space. This makes play facilities not only accessible from the inside, but also playable from the outside.





» **Today we know that when playing together, all areas of child development are addressed. This is important for children with and without special needs. By using their different abilities and interests, the central integrative principle of learning from each other becomes effective.** «


*Prof. Dr Ulrich Heimlich
Chair of Education for Learning Disabilities Ludwig Maximilian University Munich*

Inclusion, integration and

Acquiring the world through play with others, gaining new perceptual experiences, training action activities, learning to deal with diversity, showing consideration and asserting oneself – these are intensive learning processes in the first years of a person's life. The principle of inclusion supports this in a particularly positive way. The focus of inclusive play situations is on shared play inspired by the imagination, which is creatively enriched by the diversity of the children.

An environment that is as barrier-free as possible is crucial when it comes to enabling children, regardless of their individual abilities and social and cultural identity, to participate in everyday life, in the nursery, school or on the playground.

We at eibe would like to contribute to the implementation of participation on the playground: with barrier-free playground equipment and inclusion-oriented planning concepts that take into account the diverse needs and abilities of children, with and without disabilities, and translate them into play values.



accessibility

In order to remove barriers on the playground as far as possible and make it usable for all children, wheelchair-accessible combination playgrounds, an integration swing with different swing seats and an integration carousel were developed, among other things. Elements such as tactile or sound games are particularly appealing to children with hearing and visual impairments or cognitive limitations.

When designing play areas, we place special emphasis on the versatile usability of the equipment, including the incorporation of the surroundings and the ground surfaces of the play area. Sufficient retreats for rest and relaxation of the playing children as well as seating for parents and accompanying persons are taken into account in the planning. But not only design and play value are important to us, safety and sustainability of our playground equipment are equally important.

The inclusion-oriented design of a play space is as

diverse and individual as the children themselves. Our aim is not only to enable integration with attractive play equipment, but also to make inclusive play a normal part of play through differentiated and creative planning of play spaces.

eibe supports you in the implementation of your ideas for an inclusive play space with advice, expertise, an extensive product selection and enthusiasm.

Playgrounds are places of encounter – playing together, learning from each other, self-determined, equal, without exclusion and barrier-free.



Elbkinder daycare centre, Hamburg





Hullabazoo Play Area Whipsnade



Wetterhäuschen daycare centre, Neuss



Play equipment for children under 3 years



play boards
playable from inside
and outside



minimondo play unit Balloon ride

Info box

| | |
|------------------------|--------------------------|
| Minimum space: | 550x440x224 cm |
| Free falling height: | 44 cm |
| Impact protection net: | 7,5 m ² |
| Foundations: | 8x CF or 3x PFs + 5x PFr |

| | |
|-------------------|-----------------|
| 5 59 859 011 00 | SW pi |
| ① 5 59 859 031 00 | Larch natural |
| 5 59 859 041 00 | Larch GL, larch |





ecorino
play unit Kamet, solo

| Info box | |
|------------------------|---------------------|
| Minimum space: | 757x541x275 cm |
| Free falling height: | 58 cm |
| Impact protection net: | 25,5 m ² |
| Foundations: | 13x CF or 13x PFs |

- ① 5 11 515 011 00 SW pi
- ② 5 11 515 031 00 Larch natural
- 5 11 515 041 00 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

| | | |
|-------------------|------------------------|----------|
| ① 5 40 186 101 31 | GFRP iguana | PH 60 cm |
| ② 5 40 186 111 31 | GFRP iguana & SSt coat | PH 60 cm |
| ③ 5 40 186 121 00 | Stainless steel | PH 60 cm |

touch, feel and discover



minimondo
play unit Butterfly

| Info box | |
|------------------------|---------------------------|
| Minimum space: | 762x527x200 cm |
| Free falling height: | 20 cm |
| Impact protection net: | 34,5 m ² |
| Foundations: | 9x CF or 9x PFs or 9x PFR |

5 59 851 001 00 SW pi



playo play unit Lisa

| Info box | |
|------------------------|---------------------|
| Minimum space: | 502x485x275 cm |
| Free falling height: | 58 cm |
| Impact protection net: | 17,5 m ² |
| Foundations: | 11x CF or 11x PFs |

- ① 5 11 001 011 10 SW pi
- 5 11 001 031 10 Larch natural
- ② 5 11 001 041 10 Larch GL, larch





ecorino
play unit Hagen, solo

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 763x458x255 cm |
| Free falling height: | 58 cm |
| Impact protection net: | 26,0 m ² |
| Foundations: | 9x CF or 9x PFs |

- 5 11 521 011 00 SW pi
- ① 5 11 521 031 00 Larch natural
- ② 5 11 521 041 00 Larch GL, larch

Please order the slide separately



Please choose your add-on slide:

- | | | |
|---------------------|------------------------|----------|
| ① A 5 40 186 101 31 | GFRP iguana | PH 60 cm |
| ① B 5 40 186 111 31 | GFRP iguana & SSt coat | PH 60 cm |
| ① C 5 40 186 121 00 | Stainless steel | PH 60 cm |



horizontal and vertical holding options

training coordination at the step transition




playo
play unit Mia, solo

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 711x375x275 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 20,0 m ² |
| Foundations: | 6x CF or 4x PFs |

- 5 11 003 011 10 SW pi
- 5 11 003 031 10 Larch natural
- ① 5 11 003 041 10 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

- | | | |
|---------------------|----------------------|----------|
| ① A 5 40 185 101 22 | GFRP grey | PH 95 cm |
| ① B 5 40 185 111 22 | GFRP grey & SSt coat | PH 95 cm |
| ① C 5 40 185 121 00 | Stainless steel | PH 95 cm |



ecorino
play unit Jannu, solo

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 739x597x300 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 26,5 m ² |
| Foundations: | 15x CF or 11x PFs |

- 5 11 517 011 00 SW pi
- ① 5 11 517 031 00 Larch natural
- 5 11 517 041 00 Larch GL, larch




Please order the slide separately



Please choose your add-on slide:

- | | | |
|---------------------|------------------------|----------|
| ① A 5 40 185 101 31 | GFRP iguana | PH 95 cm |
| ① B 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| ① C 5 40 185 121 00 | Stainless steel | PH 95 cm |



ecorino
play unit Dom, solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 668x539x300 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 23,0 m ² |
| Foundations: | 9x CF or 7x PFs |

- ① 5 11 502 011 00 SW pi
- ② 5 11 502 031 00 Larch natural
- 5 11 502 041 00 Larch GL, larch



Please choose your add-on slide:

| | | |
|-------------------|------------------------|----------|
| ① 5 40 185 101 31 | GFRP iguana | PH 95 cm |
| ② 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| ③ 5 40 185 121 00 | Stainless steel | PH 95 cm |



Images show unit with steel hot-dip galvanised posts



playo play unit Winni, Solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 868x741x325 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 37,5 m ² |
| Foundations: | 12x CF or 12x PFs |

- ① 5 11 011 011 10 SW pi
- 5 11 011 031 10 Larch natural
- ② 5 11 011 041 10 Larch GL, larch



Please choose your add-on slide:

| | | |
|-------------------|----------------------|-----------|
| ① 5 40 186 101 22 | GFRP grey | PH 60 cm |
| ② 5 40 186 111 22 | GFRP grey & SSt coat | PH 60 cm |
| ③ 5 40 186 121 00 | Stainless steel | PH 60 cm |
| ① 5 40 101 101 22 | GFRP grey | PH 145 cm |
| ② 5 40 101 111 22 | GFRP grey & SSt coat | PH 145 cm |
| ③ 5 40 101 121 00 | Stainless steel | PH 145 cm |





① 1+

paradiso play unit Fjrlar, solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 760x551x275 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 23,5 m ² |
| Foundations: | 11x CF |

① 5 45 210 053 06 **Robinia oiled**

② 5 45 210 063 00 **Robinia natural**

Please order the slide separately!

Please choose your add-on slide:

| | | | |
|--|----------|---|----------|
| | A | 5 40 185 101 31 GFRP iguana | PH 95 cm |
| | B | 5 40 185 111 31 GFRP iguana & SSt coat | PH 95 cm |
| | C | 5 40 185 121 00 Stainless steel | PH 95 cm |

① 1+

paradiso play unit Winja

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 535x476x220 cm |
| Free falling height: | 40 cm |
| Impact protection net: | 21,0 m ² |
| Foundations: | - |

① 5 45 012 053 06 **Robinia oiled**

② 5 45 012 063 00 **Robinia natural**

① 1+

paradiso motor activity station Adrian

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 464x390x220 cm |
| Free falling height: | 40 cm |
| Impact protection net: | 14,5 m ² |
| Foundations: | 2x PFs |

① 5 45 298 051 00 **Robinia oiled**

② 5 45 298 061 00 **Robinia natural**

① 1+

paradiso motor activity station Amelie

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 452x390x220 cm |
| Free falling height: | 40 cm |
| Impact protection net: | 13,5 m ² |
| Foundations: | 3x PFs |

① 5 45 297 051 00 **Robinia oiled**

② 5 45 297 061 00 **Robinia natural**




Play equipment for children from 3 years



perceive colours

create sound

Please order the slide separately!




unique play unit Ofelia, solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 885x944x419 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 50,0 m ² |
| Foundations: | 19x CF or 19x PFs |

- ① 5 25 069 011 00 SW pi
- 5 25 069 031 00 Larch nature
- ② 5 25 069 041 00 Larch GL, larch
- 5 25 069 041 06 Larch GL green, Larch



Please choose your add-on slide:

| | | |
|---|--|-----------|
| Ⓐ | 5 40 101 101 31 GFRP iguana | PH 145 cm |
| Ⓑ | 5 40 101 111 31 GFRP iguana & SSt coat | PH 145 cm |
| Ⓒ | 5 40 101 121 00 Stainless steel | PH 145 cm |



unique play unit Lythea, solo

Info box

| | |
|------------------------|---------------------------|
| Minimum space: | 781x881x466 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 39,0 m ² |
| Foundations: | 12x CF or 11x PFs + 1x Cf |

| | |
|-------------------|-----------------------|
| 5 25 149 011 00 | SW pi |
| 5 25 149 031 00 | Larch natural |
| ① 5 25 149 041 00 | Larch GL, larch |
| 5 25 149 041 06 | Larch GL green, larch |



Please choose your add-on slides:

| | | |
|-------------------|-----------------|-----------|
| Ⓐ 5 40 104 101 31 | GFRP iguana | PH 145 cm |
| Ⓑ 5 40 104 121 00 | Stainless steel | PH 145 cm |

slide together




ecorino play unit Mont Blanc

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 586x542x400 cm |
| Free falling height: | 221 cm |
| Impact protection net: | 23,0 m ² |
| Foundations: | 11x CF or 11x PFs |

| | |
|-------------------|-----------------|
| ① 5 11 506 011 00 | SW pi |
| 5 11 506 031 00 | Larch natural |
| 5 11 506 041 00 | Larch GL, larch |



ascents with varying degrees of difficulty



playo play unit Luca, solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 966x714x382 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 42,0 m ² |
| Foundations: | 13x CF or 13x PFs |

| | |
|-------------------|-----------------|
| 5 11 020 011 10 | SW pi |
| 5 11 020 031 10 | Larch natural |
| ① 5 11 020 041 10 | Larch GL, larch |



Please choose your add-on slide:

| | | |
|-------------------|-----------------|-----------|
| Ⓐ 5 40 104 101 22 | GFRP grey | PH 145 cm |
| Ⓑ 5 40 104 121 00 | Stainless steel | PH 145 cm |





1

accessible by wheelchair

play counter for role play

2



paradiso play unit Marja, solo

| Info box | |
|------------------------|---------------------|
| Minimum space: | 815x575x350 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 33,5 m ² |
| Foundations: | 8x CF |

- 1 5 45 198 053 06 Robinia oiled
- 2 5 45 198 063 00 Robinia natural

Please choose your add-on slide:

| | | | |
|---|-----------------|------------------------|-----------|
| A | 5 40 101 101 31 | GFRP iguana | PH 145 cm |
| B | 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| C | 5 40 101 121 00 | Stainless steel | PH 145 cm |

Please order the slide separately!



paradiso play unit Andor, solo

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1029x543x448 cm |
| Free falling height: | 218 cm |
| Impact protection net: | 37,5 m ² |
| Foundations: | 9x CF |

- 1 5 45 368 053 06 Robinia oiled
- 5 45 368 063 00 Robinia natural



Please order the slide separately

Please choose your add-on slide:


| | | | |
|---|-----------------|------------------------|-----------|
| A | 5 40 101 101 31 | GFRP iguana | PH 145 cm |
| B | 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| C | 5 40 101 121 00 | Stainless steel | PH 145 cm |



paradiso play unit Bent, solo

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1073x1054x470 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 69,0 m ² |
| Foundations: | 13x CF |

- 1 5 45 369 053 06 Robinia oiled
- 5 45 369 063 00 Robinia natural



Please choose your add-on slide:

| | | | |
|---|-----------------|------------------------|-----------|
| A | 5 40 101 101 31 | GFRP iguana | PH 145 cm |
| B | 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| C | 5 40 101 121 00 | Stainless steel | PH 145 cm |

Please order the slide separately



paradiso play unit Nanna, solo

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1220x945x452 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 71,0 m ² |
| Foundations: | 25x CF |

- 1 5 45 370 053 06 Robinia oiled
- 5 45 370 063 00 Robinia natural



Please order the slide separately

Please choose your add-on slide:


| | | | |
|---|-----------------|------------------------|-----------|
| A | 5 40 101 101 31 | GFRP iguana | PH 145 cm |
| B | 5 40 101 111 31 | GFRP iguana & SSt coat | PH 145 cm |
| C | 5 40 101 121 00 | Stainless steel | PH 145 cm |



paradiso play unit Arne, solo

| Info box | |
|------------------------|---------------------|
| Minimum space: | 832x747x289 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 42,0 m ² |
| Foundations: | 11x CF |

- 1 5 45 324 053 06 Robinia oiled
- 5 45 324 063 00 Robinia natural



Please order the slide separately

Please choose your add-on slide:

| | | | |
|---|-----------------|------------------------|----------|
| A | 5 40 185 101 31 | GFRP iguana | PH 95 cm |
| B | 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| C | 5 40 185 121 00 | Stainless steel | PH 95 cm |



Themed play units




unique play unit Katamaran



Info box

| | |
|------------------------|--------------------------|
| Minimum space: | 802x697x545 cm |
| Free falling height: | 149 cm |
| Impact protection net: | 41,0 m ² |
| Foundations: | 7x CF or 8x PFs + 4x PFI |

- ① 5 59 153 011 00 SW pi
- 5 59 153 031 00 Larch nature
- ② 5 59 153 041 00 Larch



lie in and be a part



**unique sand
wreck Bounty complete**

| Info box | |
|------------------------|----------------------------|
| Minimum space: | 1921x1041x421 cm |
| Free falling height: | 205 cm |
| Impact protection net: | 92,5 m ² |
| Foundations: | 3x CF or 25x PFs + 10x PFI |

| | |
|-------------------|-----------------|
| ① 5 66 313 5 | SW pi |
| ② 5 66 313 031 00 | Larch nature |
| 5 66 313 041 00 | Larch GL, larch |

**(A)
unique sand
wreck Bounty Bow**

| Info box | |
|------------------------|--------------------------|
| Minimum space: | 747x590x389 cm |
| Free falling height: | 199 cm |
| Impact protection net: | 37,0 m ² |
| Foundations: | 1x CF or 6x PFs + 6x PFI |

| | |
|-----------------|-----------------|
| 5 66 310 5 | SW pi |
| 5 66 310 031 00 | Larch nature |
| 5 66 310 041 00 | Larch GL, larch |

**(B)
unique sand
wreck Bounty Mast**


| Info box | |
|------------------------|--------------------------|
| Minimum space: | 647x705x421 cm |
| Free falling height: | 205 cm |
| Impact protection net: | 28,5 m ² |
| Foundations: | 1x CF or 5x PFs + 4x PFI |

| | |
|-----------------|-----------------|
| 5 66 312 5 | SW pi |
| 5 66 312 031 00 | Larch nature |
| 5 66 312 041 00 | Larch GL, larch |

**(C)
unique sand
wreck Bounty Stern**

| Info box | |
|------------------------|---------------------|
| Minimum space: | 520x585x399 cm |
| Free falling height: | 150 cm |
| Impact protection net: | 27,0 m ² |
| Foundations: | 1x CF or 14x PFs |

| | |
|-----------------|-----------------|
| 5 66 311 5 | SW pi |
| 5 66 311 031 00 | Larch nature |
| 5 66 311 041 00 | Larch GL, larch |





paradiso pirate ship Jago

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1230x740x340 cm |
| Free falling height: | 190 cm |
| Impact protection net: | 60,0 m ² |
| Foundations: | 24x CF |

- ① 5 45 200 053 06 Robinia oiled
- ② 5 45 200 063 00 Robinia natural



paradiso integrative play ship Ragnar

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1100x700x240 cm |
| Free falling height: | 60 cm |
| Impact protection net: | 75,0 m ² |
| Foundations: | 11x CF |

- ① 5 45 347 053 06 Robinia oiled
- ② 5 45 347 063 00 Robinia natural

acoustic and optical play elements



paradiso little fishing boat Nola

| Info box | |
|------------------------|---------------------|
| Minimum space: | 800x520x220 cm |
| Free falling height: | 90 cm |
| Impact protection net: | 36,0 m ² |
| Foundations: | 12x CF |

- ① 5 45 247 053 06 Robinia oiled
- ② 5 45 247 063 00 Robinia natural



retreat option



sand play with holding rope

access via net or sloping ladder




paradiso play fish Lohi

| Info box | |
|------------------------|---------------------|
| Minimum space: | 818x849x375 cm |
| Free falling height: | 195 cm |
| Impact protection net: | 44,0 m ² |
| Foundations: | 19x CF or 19x PFs |

- ① 5 45 334 053 00 Robinia oiled
- ② 5 45 334 053 03 robinia oiled
- ③ 5 45 334 063 00 Robinia natural

lots of room for fantasy and role play



paradiso tactile trail Dragon

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1020x500x225 cm |
| Free falling height: | 45 cm |
| Impact protection net: | 39,0 m ² |
| Foundations: | - |

- ① 5 45 257 053 00 Robinia oiled
- ② 5 45 257 063 00 Robinia natural



haptic experiences



Climbing units



①



unique hexagonal system 210 with lying net

| | |
|------------------------|--------------------------|
| Info box | |
| Minimum space: | Ø 626x378 cm |
| Free falling height: | 198 cm |
| Impact protection net: | 31,0 m ² |
| Foundations: | 8x CF or 3x PFs + 3x PFI |

| | |
|--------------------------|-----------------------|
| 5 25 102 011 00 | SW pi |
| 5 25 102 031 00 | Larch nature |
| 5 25 102 041 00 | Larch GL |
| ① 5 25 102 041 06 | Larch GL green |



balance rubber belt bridge Salsa

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 111x425x345 cm |
| Free falling height: | 50 cm |
| Impact protection net: | 46,0 m ² |
| Foundations: | 6x CF |


| | |
|-------------------|----------------------|
| 5 55 641 0 | Rubber, steel |
|-------------------|----------------------|





climbo climbing structure Terion

| Info box | |
|------------------------|---------------------|
| Minimum space: | 734x719x350 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 35,0 m ² |
| Foundations: | 4x CF |
| ① 5 25 065 011 00 | SW pi |
| 5 25 065 031 00 | Larch nature |
| ② 5 25 065 041 00 | Larch GL |
| ③ 5 25 065 041 06 | Larch GL green |




climbo climbing structure Yuna

| Info box | |
|------------------------|-------------------------|
| Minimum space: | 1125x572x420 cm |
| Free falling height: | 240 cm |
| Impact protection net: | 32,5 m ² |
| Foundations: | 9x CF or 5x PFI + 4x CF |
| 5 25 909 011 00 | SW pi |
| 5 25 909 031 00 | Larch natural |
| ① 5 25 909 041 00 | Larch GL |




paradiso balance combination Kosawin

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1265x400x240 cm |
| Free falling height: | 59 cm |
| Impact protection net: | 45,0 m ² |
| Foundations: | 9x CF |
| ① 5 45 178 053 06 | Robinia oiled |
| 5 45 178 063 00 | Robinia natural |



paradiso play unit Duin

| Info box | |
|------------------------|----------------------|
| Minimum space: | 1810x1580x345 cm |
| Free falling height: | 190 cm |
| Impact protection net: | 186,0 m ² |
| Foundations: | 42x CF |
| ① 5 45 337 053 06 | Robinia oiled |
| 5 45 337 063 00 | Robinia natural |





Height 3 m



Climbing pyramid 300

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 750x300 cm |
| Free falling height: | 235 cm |
| Impact protection net: | 44,5 m ² |
| Foundations: | 5x CF |
| 5 55 628 0 | Steel |



Climbing pyramid 450-95

Info box

| | |
|------------------------|---------------------------|
| Minimum space: | Ø 874x450 cm |
| Free falling height: | 95 cm |
| Impact protection net: | |
| Foundations: | 9x CF |
| 5 55 656 0 | Steel cable, steel |




Height 4.50 m



Rope dome Maxi

Info box

| | |
|------------------------|--------------------------------------|
| Minimum space: | 1310x795x371 cm |
| Free falling height: | 191 cm |
| Impact protection net: | 81,0 m ² |
| Foundations: | 6x CF |
| 5 55 643 0 | Steel powder., PP, PA, PE, VA |



Climbing supports the further development of body movement and the coordination of action sequences



minimondo play house Apricot

| | |
|------------------------|--------------------------|
| Info box | |
| Minimum space: | 453x452x310 cm |
| Free falling height: | 130 cm |
| Impact protection net: | 19,0 m ² |
| Foundations: | 1x CF or 2x PFs + 1x PFr |
| 5 59 828 011 00 | HPL |

Play houses



climbo Lodge Hawaii

| | |
|------------------------|-----------------|
| Info box | |
| Minimum space: | 631x585x240 cm |
| Free falling height: | 59 cm |
| Impact protection net: | - |
| Foundations: | 8x CF or 8x PFs |

- ① 5 25 129 011 00 SW pi
- ② 5 25 129 041 00 Larch GL






paradiso little lake house Lago

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 571x531x264 cm |
| Free falling height: | 149 cm |
| Impact protection net: | 25,5 m ² |
| Foundations: | 8x CF |

- ① 5 45 081 053 06 Robinia oiled
- ② 5 45 081 063 00 Robinia natural



ecorino Seaside House unit

| | |
|------------------------|--------------------|
| Info box | |
| Minimum space: | 471x310x215 cm |
| Free falling height: | 106 cm |
| Impact protection net: | 5,0 m ² |
| Foundations: | 8x CF or 8x PFS |

5 59 015 5 SW pi



paradiso play house Piet

| | |
|------------------------|----------------|
| Info box | |
| Minimum space: | 520x425x190 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 4x CF |

- ① 5 45 340 053 06 Robinia oiled
- ② 5 45 340 063 00 Robinia natural



paradiso play house Firuna

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 480x465x175 cm |
| Free falling height: | 65 cm |
| Impact protection net: | 22,0 m ² |
| Foundations: | - |

- ① 5 45 014 053 06 Robinia oiled
- ② 5 45 014 063 00 Robinia natural





「Water, mud, sand」



easily accessible,
playable from inside
and outside



unique sand construction site Aves

| Info box | |
|------------------------|---------------------|
| Minimum space: | 745x600x275 cm |
| Free falling height: | 90 cm |
| Impact protection net: | 14,0 m ² |
| Foundations: | 16x CF or 16x PFs |

- 5 25 124 011 00 SW pi
- ① 5 25 124 031 00 Larch nature
- 5 25 124 041 00 Larch GL, larch
- ② 5 25 124 041 06 Larch GL green, Larch



paradiso sand construction site Sandro

| Info box | |
|------------------------|---------------------|
| Minimum space: | 650x650x239 cm |
| Free falling height: | 59 cm |
| Impact protection net: | 35,0 m ² |
| Foundations: | 13x CF |

- ① 5 45 085 053 06 Robinia oiled
- 5 45 085 063 00 Robinia natural



Scope of delivery deviates from the image




playo sand and mud play unit Ben

| Info box | |
|------------------------|---------------------------|
| Minimum space: | 743x571x325 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 31,5 m ² |
| Foundations: | 20x CF or 14x PFs + 3x CF |



- ① 5 11 026 011 10 SW pi
- 5 11 026 031 10 Larch natural
- 5 11 026 041 10 Larch GL, larch



Please order the pump separately!



Please choose one of these pumps:



- Ⓐ 5 66 290 0 Stainless steel
- Ⓑ 5 57 051 0 Grey-cast



playo platform with mud tub

| Info box | |
|------------------------|-----------------|
| Minimum space: | 567x399x238 cm |
| Free falling height: | 58 cm |
| Impact protection net: | - |
| Foundations: | 6x CF or 6x PFs |

- ① 5 11 043 011 00 SW pi
- 5 11 043 031 00 Larch nature
- 5 11 043 041 00 Larch GL, larch



playable from inside and outside

Please order the slide separately!

easily accessible



playo sand and mud play unit Jonas, solo

| Info box | |
|------------------------|----------------------------|
| Minimum space: | 1267x1041x382 cm |
| Free falling height: | 195 cm |
| Impact protection net: | 71,0 m ² |
| Foundations: | 42x CF or 38x PFs + 4x PFr |

- ① 5 11 044 011 00 SW pi
- 5 11 044 031 00 Larch natural
- ② 5 11 044 041 00 Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 102 101 22 GFRP grey PH 195 cm
- Ⓑ 5 40 102 111 22 GFRP grey & SSt coat PH 195 cm
- Ⓒ 5 40 102 121 00 Stainless steel PH 195 cm





playo play unit Elsa, solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 1486x1121x357 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 83,5 m ² |
| Foundations: | 36x CF or 34x PFs |

- ① 5 11 025 011 10 SW pi
- 5 11 025 031 10 Larch nature
- 5 11 025 041 10 Larch GL, larch



①

Please order the slide separately!

Please order the pump separately!



Please choose one of these pumps:

- ① 5 66 290 0 Stainless steel
- ② 5 57 051 0 Grey-cast



Please choose your add-on slide:

- ① 5 40 101 101 22 GFRP grey PH 145 cm
- ② 5 40 101 111 22 GFRP grey & SSt coat PH 145 cm
- ③ 5 40 101 121 00 Stainless steel PH 145 cm




ecorino sand and mud play unit Gran Paradiso

Info box

| | |
|------------------------|----------------------------|
| Minimum space: | 818x634x245 cm |
| Free falling height: | 45 cm |
| Impact protection net: | 30,0 m ² |
| Foundations: | 20x CF or 18x PFs + 2x PFr |

- 5 11 530 011 00 SW pi
- ① 5 11 530 031 00 Larch natural
- ② 5 11 530 041 00 Larch GL, larch



②

①

large sand play platform



unique play unit Sala, solo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 745x1112x416 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 30,0 m ² |
| Foundations: | 17x CF or 17x PFs |

- ① 5 25 150 011 00 SW pi
- 5 25 150 031 00 Larch natural
- ② 5 25 150 041 00 Larch GL, larch
- 5 25 150 041 06 Larch GL green, larch



②

①

Please order the slide separately!



ecorino play unit Nan Shan, solo

Info box

| | |
|------------------------|----------------------------|
| Minimum space: | 1343x1004x325 cm |
| Free falling height: | 145 cm |
| Impact protection net: | 58,5 m ² |
| Foundations: | 39x CF or 34x PFs + 4x FFr |

- 5 11 532 011 00 SW pi
- ① 5 11 532 031 00 Larch natural
- ② 5 11 532 041 00 Larch GL, larch

Please choose your add-on slide:

- ① 5 40 104 101 31 GFRP iguana PH 145 cm
- ② 5 40 104 121 00 Stainless steel PH 145 cm



Please choose your add-on slide:

- ① 5 40 185 101 31 GFRP iguana PH 95 cm
- ② 5 40 185 111 31 GFRP iguana & SSt coat PH 95 cm
- ③ 5 40 185 121 00 Stainless steel PH 95 cm



Please choose your add-on slide:

- ① 5 40 101 101 31 GFRP iguana PH 145 cm
- ② 5 40 101 111 31 GFRP iguana & SSt coat PH 145 cm
- ③ 5 40 101 121 00 Stainless steel PH 145 cm





Water play unit Nevada

| Info box | |
|------------------------|---------------------|
| Minimum space: | 476x534x255 cm |
| Free falling height: | 75 cm |
| Impact protection net: | 19,5 m ² |
| Foundations: | 2x CF or 6x PFs |

- ① 5 66 459 120 00 Stainless steel
- ② 5 66 445 120 00 Stainless steel, HPL



①

Please order the pump separately!



Please choose one of these pumps:

- A 5 66 290 0 Stainless steel
- B 5 57 051 0 Grey-cast



Sand play table, wheelchair accessible

| Info box | |
|------------------------|-----------------|
| Minimum space: | 160x125x240 cm |
| Free falling height: | 59 cm |
| Impact protection net: | - |
| Foundations: | 4x CF or 4x PFs |


- 5 59 149 5 SW pi



Sand playing cottage Sun Bakery

| Info box | |
|------------------------|----------------|
| Minimum space: | 498x500x183 cm |
| Free falling height: | 41 cm |
| Impact protection net: | - |
| Foundations: | 4x PFr |

- 5 59 095 0 SW pi



Sand play table Cloud

| Info box | |
|------------------------|-----------------|
| Minimum space: | 100x100x239 cm |
| Free falling height: | 59 cm |
| Impact protection net: | - |
| Foundations: | 3x CF or 3x PFs |

- 5 66 407 0 Stainless steel



Sand play table Star

| Info box | |
|------------------------|-----------------|
| Minimum space: | 58x55x239 cm |
| Free falling height: | 59 cm |
| Impact protection net: | - |
| Foundations: | 1x CF or 2x PFs |

- 5 66 405 0 Stainless steel, HPL



Sand play table Moon

| Info box | |
|------------------------|-----------------|
| Minimum space: | 55x80x239 cm |
| Free falling height: | 59 cm |
| Impact protection net: | - |
| Foundations: | 1x CF or 2x PFs |

- 5 66 406 0 Stainless steel, HPL



paradiso mud table Erlan, with post

| Info box | |
|------------------------|---------------------|
| Minimum space: | Ø370x240 cm |
| Free falling height: | 60 cm |
| Impact protection net: | 11,0 m ² |
| Foundations: | 1x CF |

- 5 45 022 053 06 Robinia oiled
- 5 45 022 063 00 Robinia natural




Mud play table Shamrock

| Info box | |
|------------------------|-----------------|
| Minimum space: | 490x490x250 cm |
| Free falling height: | 70 cm |
| Impact protection net: | - |
| Foundations: | 4x CF or 4x PFs |

- 5 57 060 5 SW pi



The eibe Sandpits Sandy create the very best conditions for playing with sand.




With integrated sand play table or also for sitting on

playo Sandpit Sandy square 360

| Info box | |
|------------------------|---------------------|
| Minimum space: | 355x355x22 cm |
| Free falling height: | 22 cm |
| Impact protection net: | 30,5 m ² |
| Foundations: | |

| | |
|-------------------|---------------|
| ① 5 11 080 011 00 | SW pi |
| 5 11 080 031 00 | Larch natural |
| 5 11 080 041 00 | Larch oiled |



playo Sandpit Sandy square 260

| Info box | |
|------------------------|---------------------|
| Minimum space: | 254x254x22 cm |
| Free falling height: | 22 cm |
| Impact protection net: | 24,0 m ² |
| Foundations: | |

| | |
|-------------------|---------------|
| ① 5 11 079 011 00 | SW pi |
| 5 11 079 031 00 | Larch natural |
| 5 11 079 041 00 | Larch oiled |

playo Sandpit Sandy hexagon

| Info box | |
|------------------------|---------------------|
| Minimum space: | 414x471x22 cm |
| Free falling height: | 22 cm |
| Impact protection net: | 32,0 m ² |
| Foundations: | |

| | |
|-------------------|---------------|
| ① 5 11 081 011 00 | SW pi |
| 5 11 081 031 00 | Larch natural |
| 5 11 081 041 00 | Larch oiled |



Tarpaulins sqm


| | |
|--------------------|---|
| 5 59 109 0 | PE |
| Size: | m ² |
| Scope of delivery: | 1 sqm sandpit cover: PE screen (100% polypropylene) |

Sand pit cover, square 260

| | |
|--------------------|-----------------------------------|
| 5 59 092 0 | PE |
| Size: | 250x250 cm |
| Scope of delivery: | 1x sand pit cover: PE-grid fabric |

Sand pit cover, square 360

| | |
|--------------------|-----------------------------------|
| 5 59 093 0 | PE |
| Size: | 350x350 cm |
| Scope of delivery: | 1x sand pit cover: PE-grid fabric |



paradiso solar panel Sonya, complete

| Info box | |
|------------------------|----------------|
| Minimum space: | 369x369x291 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 4x CF |

| | |
|-------------------|-----------------|
| ① 5 45 173 053 00 | Robinia oiled |
| 5 45 173 063 00 | Robinia natural |



paradiso solar panel Simon, complete

| Info box | |
|------------------------|----------------|
| Minimum space: | 469x469x291 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 4x CF |

| | |
|-------------------|-----------------|
| ② 5 45 174 053 00 | Robinia oiled |
| 5 45 174 063 00 | Robinia natural |



paradiso robinia trunk running metre

Ø 6-10 cm

| | |
|-----------------|---------------|
| 5 45 367 053 06 | Robinie geölt |
| 5 45 367 063 00 | Robinie natur |

Ø 10-14 cm

| | |
|-----------------|-----------------|
| 5 45 019 053 06 | Robinia oiled |
| 5 45 019 063 00 | Robinia natural |

Ø 14-18 cm

| | |
|-----------------|-----------------|
| 5 45 017 053 06 | Robinia oiled |
| 5 45 017 063 00 | Robinia natural |

Ø 18-22 cm

| | |
|-----------------|-----------------|
| 5 45 020 053 06 | Robinia oiled |
| 5 45 020 063 00 | Robinia natural |

foundation anchor for robinia trunk

For horizontal installation.

| | |
|-----------------|-------|
| 5 45 018 133 00 | Steel |
|-----------------|-------|



There are many possible uses for palisade trunks, for example as fencing, balancing beam, design element and more.

Please indicate the required quantity and heights as follows:
 Height <1 m + dig-in depth 60 cm
 Height >1 m + dig-in depth 80 cm



Swings



paradiso belly swing Leif

| Info box | |
|------------------------|---------------------|
| Minimum space: | 650x220x210 cm |
| Free falling height: | 95 cm |
| Impact protection net: | 13,0 m ² |
| Foundations: | 2x CF |

- ① 5 45 333 053 06 Robinia oiled
- ② 5 45 333 063 00 Robinia natural



minimondo double swing Lily of the Valley

| Info box | |
|------------------------|---------------------|
| Minimum space: | 675x359x200 cm |
| Free falling height: | 93 cm |
| Impact protection net: | 24,0 m ² |
| Foundations: | 6x CF or 6x PFs |

- 5 59 834 5 SW pi
- 5 59 834 041 21 Larch GL green, larch




parallel swinger

| Info box | |
|------------------------|---------------------|
| Minimum space: | 860x428x343 cm |
| Free falling height: | 153 cm |
| Impact protection net: | 21,5 m ² |
| Foundations: | 4x CF or 4x PFs |

- ① 5 55 335 5 SW pi
- ② 5 55 335 031 00 Larch nature
- 5 55 335 041 00 Larch GL
- 5 55 335 041 06 Larch GL green



Horizontal swinging fun



Lying down and swinging together





unique double swing Luna with swing seats

| Info box | |
|------------------------|---------------------|
| Minimum space: | 775x310x316 cm |
| Free falling height: | 129 cm |
| Impact protection net: | 23,0 m ² |
| Foundations: | 4x CF |
| ① 5 55 354 0 24 | Steel powder. blue |
| ② 5 55 354 0 25 | Steel powder. grey |



youth circular swing Vogelburg

| Info box | |
|------------------------|---------------------|
| Minimum space: | Ø 810x460 cm |
| Free falling height: | 70 cm |
| Impact protection net: | 52,0 m ² |
| Foundations: | 3x CF |
| ① 5 55 360 0 24 | Steel powder. blue |
| ② 5 55 360 0 25 | Steel powder. grey |



unique circular swing with nest seat

| Info box | |
|------------------------|---------------------|
| Minimum space: | Ø 860x440 cm |
| Free falling height: | 150 cm |
| Impact protection net: | 52,0 m ² |
| Foundations: | 3x CF |
| 5 55 359 0 24 | Steel powder. blue |
| ① 5 55 359 0 25 | Steel powder. grey |



ecorino double swing with swing seats

| Info box | |
|------------------------|---------------------|
| Minimum space: | 333x800x330 cm |
| Free falling height: | 137 cm |
| Impact protection net: | 23,5 m ² |
| Foundations: | 4x CF |
| 5 15 001 133 00 | Steel galv. |




unique hexagonal swing

| Info box | |
|------------------------|----------------------|
| Minimum space: | Ø1240x320 cm |
| Free falling height: | 149 cm |
| Impact protection net: | 121,0 m ² |
| Foundations: | 6x CF |
| 5 52 024 143 08 | Steel powder. red |
| ① 5 52 024 143 09 | Steel powder. iguana |



ecorinno swing with nest seat Ø 100 cm

| Info box | |
|------------------------|---------------------|
| Minimum space: | 333x800x368 cm |
| Free falling height: | 146 cm |
| Impact protection net: | 20,0 m ² |
| Foundations: | 4x CF |
| 5 15 002 133 00 | Steel galv. |



Integration swing

| Info box | |
|------------------------|---------------------|
| Minimum space: | 610x320x241 cm |
| Free falling height: | 82 cm |
| Impact protection net: | - |
| Foundations: | - |
| 5 64 005 0 24 | Powdered steel blue |
| ① 5 64 005 0 25 | Powdered steel grey |

Impact attenuati-
on tile included!





**paradiso
snake swing Hydra**

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1200x366x296 cm |
| Free falling height: | 150 cm |
| Impact protection net: | 37,5 m ² |
| Foundations: | 8x CF |

- ① 5 45 182 053 00 Robinia oiled
- ② 5 45 182 063 00 Robinia natural



①



Safety swing seat for small children

5 63 203 0 Steel, rubber



Safety swing seat incl. chain

5 63 207 0 Steel, rubber
5 55 003 120 00 Stainless steel, rubber



Safety swing seat, wide

5 63 204 0 Steel, rubber

Swing for kids and parents

5 63 244 0 Stahl, VA, Gummi

This swing seat allows parents and children to swing together. For a suspension height of up to 235 cm with a seat height of 35 cm.
Size: 62x104x154 cm
Scope of delivery: 1x stainless steel frame: stainless steel
1x safety swing seat: rubber
1x safety swing seat for toddlers: steel, rubber for suspension height up to 235 cm with a seat height of 35 cm

Swing rope

5 63 225 0 PP Fentex rope

Co-operation with other children is encouraged here. Size: Ø 15x215 cm
Scope of delivery: 1x swing rope: PP-Fentex rope



Nest seat, steel cable net mesh Ø 100 cm

5 55 052 0 blue
5 55 052 01 natural
5 55 052 50 green

Nest seat, steel cable net mesh Ø 120 cm

5 55 627 0 blue
5 55 627 01 natural
5 55 627 50 green



Nest seat rubber linked mat Ø 120 cm

5 55 048 0 blue
5 55 048 01 natural
5 55 048 50 green



Swing seat Hollywood Duo

5 63 246 0 PES steel cable, VA

The Hollywood Duo swing seat provides a great swinging experience for children - whether alone, in pairs or in threes. Max. Suspension height 250 cm.
Size: 140x66x140 cm
Scope of delivery: 1x swing seat: PES steel cable, VA



**paradiso
double swing combination Elon**

| Info box | |
|------------------------|---------------------|
| Minimum space: | 800x755x271 cm |
| Free falling height: | 150 cm |
| Impact protection net: | 57,0 m ² |
| Foundations: | 6x CF |

- ① 5 45 127 053 06 Robinia oiled
- ② 5 45 127 063 00 Robinia natural

Extra high - over 5 metres!



climbo swing Akiko

| Info box | |
|------------------------|---------------------|
| Minimum space: | 1074x656x529 cm |
| Free falling height: | 221 cm |
| Impact protection net: | 36,5 m ² |
| Foundations: | 4x CF |

- 5 25 903 013 00 SW pi
- 5 25 903 033 00 Larch natural
- ① 5 25 903 043 00 Larch GL



①



Toddler swing seat Colour

5 63 195 0 Steel rope

The particularly high edge and colourful design of the swing seat Color makes it perfect for toddlers
Scope of delivery: 1x swing seat: plastic-coated steel cable



Swing chair midi

5 63 245 0 Steel galv., rubber, PES steel cable

Seat made of fabric-reinforced rubber with textile insert and additional stable HDPE board.
Size: 60x90x60 cm
Scope of delivery: 1x swing chair: rubber, steel, plastic-coated steel cable, HDPE suspension height: 200-250 cm





「Carousels」



Roundabout with seats Jupiter
Ø 200 cm

Info box

| | |
|------------------------|---------------------|
| Minimum space: | Ø 600x280 cm |
| Free falling height: | 45 cm |
| Impact protection net: | 28,5 m ² |
| Foundations: | 1x CF |

5 56 071 0 Stainless steel



Stand-up & seat carousel Tethys
Ø 110 cm

Info box

| | |
|------------------------|---------------------|
| Minimum space: | Ø 400x220 cm |
| Free falling height: | 40 cm |
| Impact protection net: | 13,0 m ² |
| Foundations: | 1x CF |

5 56 086 0 Steel galv., HPL, stainless steel






Integration carousel Basis Ø 175

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | 574x574x240 cm |
| Free falling height: | 60 cm |
| Impact protection net: | 23,5 m ² |
| Foundations: | 1x CF |

5 64 009 0 Stainless steel, HPL



Also suitable for public areas!



With the wheelchair at play



Integration carousel

| | |
|------------------------|---------------------|
| Info box | |
| Minimum space: | Ø 673x244 cm |
| Free falling height: | 80 cm |
| Impact protection net: | 36,0 m ² |
| Foundations: | 1x CF |

5 64 003 0 Stainless steel





Satellite carousel

Info box

| | |
|------------------------|---------------------|
| Minimum space: | Ø 540x258 cm |
| Free falling height: | 50 cm |
| Impact protection net: | 23,0 m ² |
| Foundations: | 1x CF |

5 55 130 0 Steel



Rope: twisting and climbing, relaxing

Double swirl: use body strength

Climbing net: twisting and climbing, relaxing

Triple swirl open: use body strength




Group roundabout Moon

Info box

| | |
|------------------------|---------------------|
| Minimum space: | Ø 1011x370 cm |
| Free falling height: | 120 cm |
| Impact protection net: | 80,5 m ² |
| Foundations: | 1x CF |

5 56 077 0 Stainless steel, PE, rope



Turrtabel Saturn Ø 200 cm

Info box

| | |
|------------------------|---------------------|
| Minimum space: | Ø 800x235 cm |
| Free falling height: | 70 cm |
| Impact protection net: | 50,5 m ² |
| Foundations: | 1x CF |

5 56 087 0 Steel galv., stainless steel, rubber



Stand-up roundabout Uranus Ø 115 cm

Info box

| | |
|------------------------|---------------------|
| Minimum space: | Ø 515x330 cm |
| Free falling height: | 17 cm |
| Impact protection net: | 22,0 m ² |
| Foundations: | 1x CF |

5 56 069 0 Stainless steel





Seesaws & spring rockers



balance Flower jumping plates

| | |
|------------------------|--------------------|
| Info box | |
| Minimum space: | Ø 300x206 cm |
| Free falling height: | 26 cm |
| Impact protection net: | 7,5 m ² |
| Foundations: | 1x CF |
| 5 59 007 0 | HPL |



Wiggly snake

| | |
|------------------------|-----------------------------|
| Info box | |
| Minimum space: | 503x330x225 cm |
| Free falling height: | 45 cm |
| Impact protection net: | 15,0 m ² |
| Foundations: | 2x CF |
| 5 67 262 0 | Stainless steel, HPL |




Spring rocker Turtle

| | |
|------------------------|--------------------|
| Info box | |
| Minimum space: | 300x260x222 cm |
| Free falling height: | 42 cm |
| Impact protection net: | 7,0 m ² |
| Foundations: | 1x 5632280 + 1x CF |
| 5 67 229 0 | HDPE |



Spring rocker nest

| | |
|------------------------|------------------|
| Info box | |
| Minimum space: | 420x263 cm (ØxH) |
| Free falling height: | 85 cm |
| Impact protection net: | |
| Foundations: | 1x CF |



Spring rocker Whale

| | |
|------------------------|--------------------|
| Info box | |
| Minimum space: | 300x260x222 cm |
| Free falling height: | 42 cm |
| Impact protection net: | 7,0 m ² |
| Foundations: | 1x 5632280 + 1x CF |
| 5 67 244 0 | HDPE |



Little Beetle spring rocker

Info box

| | |
|------------------------|---|
| Minimum space: | Ø 280x240 cm |
| Free falling height: | 40 cm |
| Impact protection net: | 6,5 m ² |
| Foundations: | 1x 5591600 + 1x CF or 1x 5632100 + 1x CF |

5 59 809 0 Steel, PE



Double spring rocker Grasshopper

Info box

| | |
|------------------------|--------------------|
| Minimum space: | 330x250x226 cm |
| Free falling height: | 46 cm |
| Impact protection net: | 7,5 m ² |
| Foundations: | 1x 5632280 + 1x CF |

5 55 240 5 Steel, PE



paradiso double spring rocker Dragonfly

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 440x360x250 cm |
| Free falling height: | 70 cm |
| Impact protection net: | 12,5 m ² |
| Foundations: | 2x 5632280 + 2x CF |

5 45 291 053 00 Robinia oiled



1



paradiso integration seesaw

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 700x410x310 cm |
| Free falling height: | 130 cm |
| Impact protection net: | 27,0 m ² |
| Foundations: | 1x CF |

① 5 45 292 053 00 Robinia oiled
5 45 292 063 00 Robinia natural



Integration Seesaw metal

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 556x406x237 cm |
| Free falling height: | 57 cm |
| Impact protection net: | 21,0 m ² |
| Foundations: | 1x CF |

5 64 008 0 Powdered steel, HPL

Use only under supervision




Multi-spring rocker Jumbo

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 650x445x261 cm |
| Free falling height: | 81 cm |
| Impact protection net: | 26,5 m ² |
| Foundations: | 4x 5632280 + 4x CF |

5 67 232 0 SW pi, HPL




Multi-spring rocker Dolphin and Whales

Info box

| | |
|------------------------|---------------------|
| Minimum space: | 650x445x261 cm |
| Free falling height: | 81 cm |
| Impact protection net: | 26,5 m ² |
| Foundations: | 4x 5632280 + 4x CF |

5 67 233 0 SW pi, HPL





Additions




paradiso
three-level horizontal bar Albin

| Info box | |
|------------------------|---------------------|
| Minimum space: | 613x354x160 cm |
| Free falling height: | 135 cm |
| Impact protection net: | 17,5 m ² |
| Foundations: | 4x CF |
| ① 5 45 015 053 06 | Robinia oiled |
| ② 5 45 015 063 00 | Robinia natural |




active-station inclusion

| Info box | |
|------------------------|----------------|
| Minimum space: | 525x440x380 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | - |
| 5 54 041 0 | |





Easy access for all children with disabilities thanks to the integrated wheelchair ramp.



Jumping apparatus Jump R

| | |
|------------------------|---|
| Info box | |
| Minimum space: | 644x494x184 cm |
| Free falling height: | 100 cm |
| Impact protection net: | - |
| Foundations: | - |
| 5 62 114 0 | Steel galv., plastic, rubber granulate |

Includes mounting frame



Floor trampoline Kids Tramp playground 150x150 cm

| | |
|------------------------|---|
| Info box | |
| Minimum space: | 394x394x100 cm |
| Free falling height: | <100 cm |
| Impact protection net: | 21,0 m ² |
| Foundations: | - |
| 5 62 100 0 | Wire-reinforced belt material, steel springs, rubber granulate |



Your benefits at a glance - playground:

- * suitable for playgrounds, GS certified (DIN EN 1176-1:2017)
- * highest safety and quality standards
- * suitable for use in non-supervised play areas
- * promotes the development of coordination and motor skills
- * vandal-proof thanks to the wire reinforced belt tissue
- * hardly flammable jumping mat
- * all components are heat and UV light resistant
- * easy transport and installation, with instruction video
- * 100% made in Germany for more than 50 years
- * perfect for combination of several trampolines
- * ideal for wheelchair users as well thanks to the rounded edges



Floor trampoline Kids Tramp playground 200x200 cm

| | |
|------------------------|---|
| Info box | |
| Minimum space: | 544x544x100 cm |
| Free falling height: | <100 cm |
| Impact protection net: | 25,0 m ² |
| Foundations: | - |
| 5 62 101 0 | Wire-reinforced belt material, steel springs, rubber granulate |

With its wire reinforced centre and edges, the jumping mat is highly vandal-proof. The trampoline is particularly suitable for non-supervised areas.



**art board All-weather,
free-standing**

Info box

| | |
|------------------------|---------------|
| Minimum space: | 142x14x180 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

5 45 644 5 SW pi



unique creative station Wilne

Info box

| | |
|------------------------|-----------------|
| Minimum space: | 173x198x240 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 4x CF or 4x PFs |

- 5 25 020 011 00 SW pi
- 5 25 020 031 00 Larch nature
- ① 5 25 020 041 00 Larch GL, larch
- ② 5 25 020 041 06 Larch GL green, Larch

scratch resistant mirror for the very highest standards



easily accessible for wheelchair users



**paradiso
play board Sound play**

Info box

| | |
|------------------------|---------------|
| Minimum space: | 120x55x160 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

- ① 5 45 352 053 06 Robinia oiled
- 5 45 352 063 00 Robinia natural



**paradiso
play panel Painting Board**

Info box

| | |
|------------------------|---------------|
| Minimum space: | 145x55x180 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

- ① 5 45 353 053 06 Robinia oiled
- 5 45 353 063 00 Robinia natural




**paradiso
play board Memorie**

Info box

| | |
|------------------------|---------------|
| Minimum space: | 130x55x160 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

- ① 5 45 351 053 06 Robinia oiled
- 5 45 351 063 00 Robinia natural



Elephant piano

Info box

| | |
|------------------------|--------------|
| Minimum space: | 90x14x102 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | - |

5 45 220 0 SW pi, HPL

PLEASE ORDER SEPARATELY!



2 upright posts for elephant piano

5 45 221 5 SW pi



Sound island Calypso

| | |
|------------------------|----------------|
| Info box | |
| Minimum space: | 470x362x180 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

5 60 445 0 Powder-coated steel, stainless steel, HDPE



Sound island Echo II

| | |
|------------------------|----------------|
| Info box | |
| Minimum space: | 335x335x180 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

5 60 452 0 Powder-coated steel, plastic, HDPE



For a distance of up to 15 metres

appealing to the sense of hearing through sound, tone and volume



Sound island Duet

| | |
|------------------------|----------------|
| Info box | |
| Minimum space: | 439x412x180 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 3x CF |

5 60 446 0 Powder-coated steel, stainless steel, HDPE



Sound island Clappo

| | |
|------------------------|----------------|
| Info box | |
| Minimum space: | 418x328x180 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 2x CF |

5 60 450 0 Powder-coated steel, stainless steel, HDPE



52x52x25 cm



Sensory station Leap Stone

5 60 455 0 Galvanized steel, rubber



28x28x112 cm



Sensory station DJ Console

5 60 456 0 Powder-coated steel






**paradiso
hammock Swing Fenia**

Info box

Minimum space: 567x390x280 cm
 Free falling height: 71 cm
 Impact protection net: 29,0 m²
 Foundations: 2x CF

- ① 5 45 004 053 06 Robinia oiled
- ② 5 45 004 063 00 Robinia natural



eibini Arena


Info box

Minimum space: 298x149x212 cm
 Free falling height: 32 cm
 Impact protection net: -
 Foundations: 4x CF

5 59 260 0 SW pi

**Ground fixing kit for eibini
set of table and bench**

5 63 219 0 Steel



**Square timber table Spessart
250 Integration**

Info box

Minimum space: 250x63x70 cm
 Free falling height: -
 Impact protection net: -
 Foundations: -


① 5 60 020 0 SW pi

**Square timber bench Spessart
with backrest 150**

② 5 60 015 0 SW pi

**Square timber bench Spessart
150**

③ 5 60 016 0 SW pi



Rock hammock

Info box

Minimum space: 760x310 cm
 Free falling height: 100 cm
 Impact protection net: 23,6 m²
 Foundations: 2x CF

5 55 651 0 Styrofoam, modelling matrix



Table height 45 and 72 cm

Table depth Ø 200 cm

①

Seat depth 40 cm

Seat height 45 cm

Seat height 25 cm



paradiso seating group Noa

Info box

| | |
|------------------------|------------|
| Minimum space: | 300x290 cm |
| Free falling height: | - |
| Impact protection net: | - |
| Foundations: | 13x CF |

- ① 5 45 118 053 06 Robinia oiled
- ② 5 45 118 063 00 Robinia natural



②

sound for all senses



①



paradiso sound play house Sinfonie

Info box


| | |
|------------------------|---------------------|
| Minimum space: | 530x500x280 cm |
| Free falling height: | 35 cm |
| Impact protection net: | 21,0 m ² |
| Foundations: | 6x CF |

- ① 5 45 258 053 00 Robinia oiled
- ② 5 45 258 063 00 Robinia natural



15 parts!

①



paradiso building set small

- ① 5 45 265 050 00 Robinia oiled
- 5 45 265 060 00 Robinia natural

22 parts!

①



paradiso building set big

- ① 5 45 266 050 00 Robinia oiled
- 5 45 266 060 00 Robinia natural

①

30 parts!



paradiso hollow block construction kit

- ① 5 45 275 050 00 Robinia oiled
- 5 45 275 060 00 Robinia natural

Shop.eibe.net

Even more information and pictures for every product!




Abbreviations and other interesting information

Abbreviations in the catalogue

| | |
|--|--|
| SW: softwood | CF: concrete foundation |
| ROB: robinia | PFs: prefabricated foundation |
| GL: glued-laminated timber | small PFR: prefabricated foundation |
| PI: pressure-impregnated | round PFI: prefabricated foundation |
| RAL: RAL quality mark for wood preservation agent | large L: length |
| MDF: medium density fibre-board | W: width |
| HPL: high-pressure laminate | H: height |
| GFRP: glass fibre reinforced plastic | D: diameter |
| PP: polypropylene | steel galv.: steel hot-dip galvanised |
| VA: stainless steel | steel powder.: steel galvanised and powder-coated |
| PE: polyethylene | PES: polyester |
| PU: polyurethane | HDPE: high density polyethylene |
| PPM: polypropylene multifill hydrocarbons | EUC: eucalyptus |
| PAH: polycyclic aromatic hydrocarbons | FSC: Forest Stewardship Council |
| PA: polyamide | |
| PVC: polyvinyl chloride | |
| PH: platform height | |
| SH: seat height | |
| TH: table height | |

An overview of the foundation levels



- 1 Prefabricated foundation
 - 2 Cast foundation
 - 3 Concrete floor plate
 - 4 Loose impact attenuation, e.g. sand
 - 5 Base layer, approx. 10 cm gravel
 - 6 Underground
 - 7 Impact attenuation tiles
- *on request

Impact attenuation


Examples of commonly used impact attenuating materials, depths and corresponding maximum free heights of fall.

| Material1 | Description (mm) | Minimum layer thickness 2 (mm) | Largest possible free falling height (mm) |
|--|---|--------------------------------|---|
| Concrete / stone | | | < 600 |
| Bitumen surfaces | | | < 600 |
| Turf/topsoil | | | < 1000 |
| ***** AGWBL Kurztex:8 | | | < 1500 |
| Bark | chopped bark of softwood trees, 20 mm to 80 mm grain size | 200 300 | < 2000 < 3000 |
| Woodchip | mechanically chopped wood (no wood materials), without bark and foliage share, 5 mm to 30 mm grain size | 200 300 | < 2000 < 3000 |
| Sand or gravel ³ | 0.2 mm to 2 mm grain size | 200 300 | < 2000 < 3000 |
| ***** AGWBL Kurztex:12 | 2 mm to 8 mm grain size | 200 300 | < 2000 < 3000 |
| other materials or other layer thicknesses | as tested according to HIC (see EN 1177) | | critical fall height as tested |

*1 Material carefully prepared for use on playgrounds
 *2 For loose bulk material, 100 mm must be added to the minimum depth to compensate for displacement
 *3 No silty or clay particles. Grain size may be determined using the screening procedure, such as EN 933-1.

Impact zone

Overview of the required shock absorbing features in the impact area according to DIN EN-1176-1.



dotted line: impact zone without impact attenuation
 continuous line: impact zone with impact attenuation

Play values

| | | | | | |
|--|---|--|---|--|---|
| | building, constructing | | observing, experimenting | | throwing, catching, batting, shooting, juggling |
| | running, climbing, jumping, dancing, romping, gymnastics, hand-over-hand climbing, crawling | | role play | | social integration |
| | meeting, playing, communicating | | puzzles, threading beads, co-ordination | | sliding, swinging, turning |
| | playing with water, sand, mud or natural materials | | sorting, arranging, storing | | Recommended age group 3+ |
| | making music, singing, creating sounds | | balancing, rocking | | resting, relaxing |

NOTE: Protecting your personal data is our highest priority.
 On www.shop.eibe.co.uk/privacy-policy we fully inform you how we collect, use and process your data in accordance with the EU data protection regulations (EU-DSGVO).
 On www.eibe.co.uk/service/warranty you will find all about our warranties and the general terms under www.shop.eibe.co.uk/general-terms-and-conditions



complete inspiration



eibe Produktion +
Vertrieb GmbH & Co. KG
Industriestraße 1
D-97285 Röttingen
Germany

Phone +49 9338 89-0
Fax +49 9338 89-199

eibe@eibe.de
www.eibe.net

